



Docket No.: FDN-2815

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Vinay Mehta

Conf. No. 8995

Filed: November 6, 2003

Group Art Unit: 1771

Application No.: 10/702,689

Examiner: E. M. Cole

For: BREATHABLE NON-ASPHALTIC ROOFING UNDERLAYMENT

Certificate of First Class Mailing (37 CFR 1.8(a))

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date set forth below.

9/5/07
Date of Signature and of Mail Deposit

By:

Bonnie Crespi

Mail Stop: AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

DO NOT ENTER: /EC/

RESPONSE

Sir:

This Reply is in response to the Final Office Action mailed June 5, 2007 in the above-captioned application. The Response is due on or before September 5, 2007.

Please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 8 of this paper.